Microelectronic Engineering 9 (1989) 639–653
North-Holland

Author Index Volume 9 (1989)

Acosta, R., see **R. Viswanathan** 93 – 96
Adesida, I., A.A. Ketterson, T.L. Brock, J. Laskar, J. Kolodzey, O. Aina and **H. Hier,** Fabrication and characterization of short gate-length InAlAs/InGaAs/InP MODFETs 345 – 348
Ahmed, H., In-situ processing of semiconductors by combining MBE, lithography, pattern transfer, implantation and annealing 313 – 320
Ahmed, H., see **D.G. Hasko** 337 – 340
Ahmed, H., see **D.A. Wharam** 369 – 372
Aina, O., see **I. Adesida** 345 – 348
Allen, R.M., see **J.M. Macaulay** 557 – 560
Andrews, S.R., see **H. Arnot** 365 – 368
Aoyagi, Y., see **T. Shiokawa** 277 – 279
Arimoto, H., M. Kosugi, H. Kitada and **E. Miyauchi,** Photochemical fine etching using FIB-induced damage in GaAs for in-situ dry processing 321 – 324
Aristov, V.V., V.A. Kudryashov and **A.V. Chukalin,** Electron beam lithography resolution upon exposure of superthick resist layers 231 – 233
Arnal, Y., see **G. Sauvé** 471 – 474
Arnot, H., S.R. Andrews and **S.P. Beaumont,** Photoluminescence studies of GaAs–AlGaAs quantum dots 365 – 368
Arshak, K.I., see **N.N. Kundu** 595 – 598
Asari, T., see **H. Ohki** 235 – 238
Atoda, N., see **S. Hasegawa** 127 – 130
Attwood, D., see **Y. Vladimirsky** 87 – 88
Atwood, D.K., see **S. Vaidya** 213 – 216

Babich, E., J. Paraszczak, M., Hatzakis, S. Rishton, B. Grenon and **H. Linde,** A comparison of the e-beam sensitivities and relative O_2-plasma stabilities of organosilicon polymers. Part III. Lithographic characteristics of poly-1,1,3-trimethyl-1-sila- and poly-1,1,3,3-tetramethyl-1,3-disilacyclobutenes and related silmethylene polymers 537 – 542
Babich, I., see **R. Viswanathan** 93 – 96
Balk, P., see **V. Lauer** 611 – 614
Baryshev, Yu.P., A.A. Dmitriev, A.D. Krivospitsky, V.F. Lukichev, A.A. Orlikovsky and **K.A. Valiev,** Josephson SNS microbridges fabricated by double electron beam lithography 385 – 388
Bassous, E. and **A.C. Lamberti,** Highly selective KOH-based etchant for boron-doped silicon structures 167 – 170
Bataillon, J.-L., see **H. Martin** 441 – 444
Bauer, G., Physics of sub 0.5 μm structures 327 – 335
Beaumont, S.P., see **H. Arnot** 365 – 368

Benecke, W., see **U. Schnakenberg** 205 – 208
Beneking, H., see **K. Eden** 37 – 40
Beneking, H., see **K. Eden** 65 – 68
Benoit, A., see **D. Mailly** 349 – 351
Berger, S.D., see **J.M. Macaulay** 557 – 560
Bijkerk, F., G.E. van Dorssen, M.J. van der Wiel, R. Dammel and **J. Lingnau,** Laser plasma as X-ray source for lithographic imaging of submicron structures onto experimental X-ray resist 121 – 125
Birkenstock, G., see **J. Hersener** 155 – 158
Bisek, R., see **D. Sischka** 463 – 466
Bohlen, H., W. Haug, M. Kallmeyer, J. Keyser, W. Kulcke, K. Meissner and **W. Zapka,** Electron beam proximity printing 191 – 193
Boller, F.D.J., see **A.G. Brown** 225 – 229
Borghs, G., see **W. De Raedt** 341 – 344
Born, R., see **W. De Raedt** 341 – 344
Börner, M., see **F.E. Endruschat** 401 – 404
Bouzid, M.J., see **P. Paniez** 585 – 589
Brasseur, G., see **P. Verdonck** 507 – 510
Brehm, K., K.-H., Müller, E.-H. Wagemann and **K. Werner,** Beamline design for homogeneous irradiation of large exposure fields using synchrotron radiation 143 – 146
Brink, M. v.d., see **J.S. Greeneich** 53 – 58
Brock, T.L., see **I. Adesida** 345 – 348
Broers, A.N., A.E. Timbs and **R. Koch,** Nanolithography at 350 kV in a TEM 187 – 190
Brown, A.G., H. Willis, S.H. Mortimer, S.J. Till and **F.D.J. Boller,** A direct-write electron beam lithographic technique for the fabrication of CMOS–SOS devices with sub-micron gate dimensions 225 – 229
Brown, L.M., see **J.M. Macaulay** 557 – 560
Brown, W.L., Recent progress in ion beam lithography 269 – 276
Brünger, W.H., X-ray mask repair by electron beam induced metal deposition 171 – 174
Brunner, M., R. Schmitt, D. Winkler and **B. Lischke,** Non-invasive waveform measurements of IC-internal GHz signals in a ps time scale 405 – 410
Brunner, M., see **D. Winkler** 453 – 456
Buchmann, L.M., see **G. Stangl** 289 – 293
Buchmann, P., H.P. Dietrich, G. Sasso and **P. Vettiger,** Chemically assisted ion beam etching process for high quality laser mirrors 485 – 489
Buczek, H., see **J.M. Tejido** 255 – 257
Burlet, D., see **H. Martin** 441 – 444
Burns, D.W., see **H. Guckel** 159 – 161

Caro, J., see **J.R. Gao** 373 – 376
Carter, J.M., see **H. Kawata** 31 – 36
Castel, E.D. and **N. Shamma,** Design and optimization of site-by-site alignment marks for a single polysilicon bipolar process 73 – 77
Castel, E.D., R.A. Hughes and **G.B. Moslehi,** Photolithography in an open area environment: The oasis project 615 – 619
Cekan, E., see **G. Stangl** 289 – 293

Chabala, J.M., see **R. Levi-Setti** 391 – 399
Chang, T.H.P., see **S.A. Rishton** 183 – 186
Chen, A.-B., see **A. Sher** 377 – 380
Chiu, G., J.-M. Halbout and **P. May**, High speed electron beam testing 21 – 24
Chlebek, J., H.-L. Huber, H. Oertel, M. Weiss, R. Dammel, J. Lingnau and **J. Theis**, Computer-aided resist modelling with extended XMAS in X-ray lithography 629 – 633
Christaller, G., see **B. Lischke** 199 – 203
Christenson, T.R., see **H. Guckel** 159 – 161
Chukalin, A.V., see **V.V. Aristov** 231 – 233
Cleaver, J.R.A., see **D.G. Hasko** 337 – 340
Coane, P.J., P.J. Rudeck, T. Newman, A.D. Wilson and **F.J. Hohn**, Application of variable shaped electron beam technology to the development of 0.5 micron CMOS technology with extensions to 0.25 micron 195 – 197
Coolsen, J., see **J.S. Greeneich** 53 – 58
Coopmans, F., see **E. Froyen** 239 – 241
Coopmans, F., see **P. Verdonck** 507 – 510
Crockatt, D., see **D. Seeger** 97 – 100
Crockatt, D., see **R. Viswanathan** 93 – 96
Csepregi, L., see **G. Stangl** 289 – 293
Cullmann, E., see **H. Huber** 151 – 154
Czech, G., see **R. Leuschner** 547 – 550

Dammel, R., K.-F. Dössel, J. Lingnau, J. Theis, H. Huber, H. Oertel and **J. Trube**, Negative-tone high-resolution photocatalytic resist for X-ray lithography 575 – 578
Dammel, R., see **F. Bijkerk** 121 – 125
Dammel, R., see **J. Chlebek** 629 – 633
Dammel, R., see **A. Menschig** 571 – 574
De Raedt, W., R. Jonckheere, M. Van Hove, G. Borghs, M. Van Rossum, L. Van den hove and **R. Born**, Sub-100 nm gate MESFET by electron beam mix&match 341 – 344
Dechenaux, E., see **P. Paniez** 585 – 589
DeFreez, R.K., see **J. Orloff** 281 – 283
Deguchi, K., S. Ohki and **T. Horiuchi**, A double contrast X-ray mask for high overlay accuracy 113 – 116
DellaGuardia, R.A., D.E. Seeger and **J.L. Mauer, IV**, X-ray transmission through low atomic number particles 139 – 142
Demel, T., see **P. Grambow** 357 – 360
Devenuto, R., see **J.P. Silverman** 101 – 104
Dietrich, H.P., see **P. Buchmann** 485 – 489
Dimilia, V., see **J.P. Silverman** 101 – 104
Dinnis, A.R. and **A. Khursheed**, The radial magnetic field analyser for voltage contrast 445 – 448
Dmitriev, A.A., see **Yu.P. Baryshev** 385 – 388
Dorssen, G.E. van, see **F. Bijkerk** 121 – 125
Dössel, K.-F., see **R. Dammel** 575 – 578
Drexel, V., see **P. Schäffer** 209 – 212

Drift, E. van der, B.A.C. Rousseeuw, J. Romijn, E.C.M. Pennings and **F.H. Groen,** High resolution patterning of aluminiumoxide for integrated optical devices 499 – 502
Drift, E. van der, see **D.A. van Leeuwen** 247 – 250
Droemer, J., see **P. Schäffer** 209 – 212

Eden, K., A.-M. Krings, H. Beneking and **W. Roth,** Influence of DUV excimer laser radiation ($\lambda = 193$ nm) on CMOS devices 37 – 40
Eden, K., A.-M. Krings, H. Beneking, M. Maul and **J. Müller,** Degradation of Cr- and $MoSi_2$ photomasks by 193 nm excimer laser radiation 65 – 68
Ehrensperger, W., see **H. Ulrich** 69 – 72
Ehrlich, Ch., see **S. Pongratz** 117 – 120
Ehrlich, D.J. and **M. Rothschild,** Excimer laser projection lithography: Optical considerations 27 – 29
Elkhatib, M., see **D. Mailly** 349 – 351
Elliott, D.J. and **D.C. Ferranti,** Sub-micron lithography at 248 nm and 193 nm excimer laser wavelengths 59 – 63
Elliott, R.A., see **J. Orloff** 281 – 283
Endruschat, F.E., M. Börner and **K.-H. Müller,** Limits of electron optical defect inspection of X-ray lithography masks 401 – 404
Erb, R., see **H.W.P. Koops** 449 – 452
Eshita, T., see **M. Yamada** 135 – 138

Fair, R., see **R. Viswanathan** 93 – 96
Fallmann, W., see **G. Stangl** 289 – 293
Fandrich, F., see **A. Kluwe** 425 – 428
Ferranti, D.C., see **D.J. Elliott** 59 – 63
Fiser, J., J. Hustak, V. Kolarik and **A. Schenk,** An electron beam tester with field emission gun 433 – 435
Flagello, D. and **A. Pomerene,** A Single Expose Double Develop (SEDD) process for self-aligned lithographic applications 47 – 52
Fontijn, L.A., see **M.J. Verheijen** 419 – 423
Forchel, A., see **H. Leier** 361 – 364
Forchel, A., see **A. Menschig** 571 – 574
Franosch, M., see **W. Pilz** 491 – 494
Frost, J.E.F., see **D.A. Wharam** 369 – 372
Froyen, E. and **F. Coopmans,** Writing strategy for e-beam lithography tools 239 – 241
Fujiwara, N., see **K. Nishioka** 481 – 484
Fukuhara, S., see **H. Todokoro** 411 – 414
Furumura, Y., see **M. Yamada** 135 – 138

Gamo, K., see **Y. Takagaki** 353 – 356
Gamo, K., see **Y. Yasuoka** 543 – 546
Gao, J.R., J. Caro, A.H. Verbruggen, S. Radelaar and **J. Middelhoek,** Narrow channel Si-MOSFETs for electron transport studies 373 – 376
Gentili, M., A. Lucchesini, P. Lugli, G. Messina, A. Paoletti, S. Santangelo, A. Tucciarone and **G. Petrocco,** X-ray mask making by EBL and Monte Carlo analysis of a single-resist layer process on low-Z membrane 147 – 150

Götz, F., see **U. Klein** 495 – 497
Gourrier, S., see **F. Pommereau** 591 – 594
Gozdz, A.S. and **P.S.D. Lin**, Simulation and fast e-beam nanofabrication of periodic structures 529 – 532
Grambow, P., T. Demel, D. Heitmann, M. Kohl, R. Schüle and **K. Ploog**, Preparation of one-dimensional single and multi-layered quantum wire structures by ultrafine deep mesa etching techniques 357 – 360
Greeneich, J.S., B. Katz, S. Wittekoek, M. v.d. Brink and **J. Coolsen**, Advanced submicron I-line wafer steppers 53 – 58
Greinke, B., see **Y. Vladimirsky** 87 – 88
Grenon, B., see **E. Babich** 537 – 542
Groen, F.H., see **E. van der Drift** 499 – 502
Guckel, H., D.W. Burns, T.R. Christenson and **H.A.C. Tilmans**, Polysilicon X-ray masks 159 – 161
Gupta, S.N., see **N.N. Kundu** 595 – 598
Gutmann, A., see **G. Talor** 41 – 46
Guttmann, P., see **Y. Vladimirsky** 87 – 88

Halbout, J.-M., see **G. Chiu** 21 – 24
Hallegot, Ph., see **R. Levi-Setti** 391 – 399
Hamagaki, M., see **T. Shiokawa** 277 – 279
Hammel, E., see **G. Stangl** 289 – 293
Hara, T., see **T. Shiokawa** 277 – 279
Hasegawa, S., J. Itoh and **N. Atoda**, Mask contrast enhancement using beveled edge in X-ray lithography 127 – 130
Hasko, D.G., C.G. Smith, J.K. Lucek, J.R.A. Cleaver and **H. Ahmed**, Fabrication and electrical, mechanical and thermal properties of submicron free-standing devices 337 – 340
Hasko, D.G., see **D.A. Wharam** 369 – 372
Hatzakis, M., see **E. Babich** 537 – 542
Haug, W., see **H. Bohlen** 191 – 193
Heindenreich, J., see **G. Sauvé** 471 – 474
Heinrich, F., see **W. Pilz** 491 – 494
Heitmann, D., see **P. Grambow** 357 – 360
Herrmann, K.-H., see **B. Lischke** 199 – 203
Herrmann, K.-H., see **P. Schäffer** 209 – 212
Hersener, J., E. Piper, A. Wilhelm and **G. Birkenstock**, A MOSFET tetrode with 0.4 μm gates fabricated by mixed exposure of X-ray and DUV lithography 155 – 158
Hersener, J., see **K.M. Strohm** 131 – 134
Heuberger, A., Progress in X-ray lithography 85
Heuberger, A., see **B. Lischke** 199 – 203
Heuberger, A., see **U. Schnakenberg** 205 – 208
Heuberger, A., see **G. Stangl** 289 – 293
Heydel, R., see **P. Schäffer** 209 – 212
Hier, H., see **I. Adesida** 345 – 348
Hill, B., see **J.P. Silverman** 101 – 104
Hoffmann, P., see **J. Pelka** 503 – 506
Hoffmann, P., see **W. Pilz** 491 – 494

Hofmann, K.R., A. Lepore, H. Lee, M. Levy, E. Kohn and **A. Zlotnicka,** Microwave and DC analysis of MODFETs with gate lengths down to 0.1 micrometer 381 – 384
Hohn, F., see **R. Viswanathan** 93 – 96
Hohn, F.J., see **P.J. Coane** 195 – 197
Hoppe, W., see **J. Pelka** 503 – 506
Horiuchi, T., see **K. Deguchi** 113 – 116
Hsia, L.C., see **J.P. Silverman** 101 – 104
Huber, H.-L., U. Scheunemann, W. Rohrmoser and **E. Cullmann,** Application of X-ray steppers using optical alignment for synchrotron-based X-ray lithography 151 – 154
Huber, H.-L., see **J. Chlebek** 629 – 633
Huber, H.-L., see **R. Dammel** 575 – 578
Huber, H.-L., see **B. Löchel** 163 – 166
Huber, H.-L., see **S. Pongratz** 117 – 120
Huber, H.-L., see **W. Windbracke** 109 – 112
Hübner, H., see **W. Pilz** 491 – 494
Hughes, B.J. and **N.F. Rix,** Proximity correction on a vector scan e-beam machine by dosage variation 243 – 246
Hughes, R.A., see **E.D. Castel** 615 – 619
Hustak, J., see **J. Fiser** 433 – 435
Huth, Ch., see **J. Pelka** 503 – 506
Huynh, B. and **A.R. Neureuther,** Calibrated exposure and focus test patterns for characterization of optical projection printing 79 – 82

Iida, Y., see **S. Sugito** 533 – 536
Iost, M., see **F. Pommereau** 591 – 594
Ishida, S., see **S. Sugito** 533 – 536
Isobe, M., see **H. Ohki** 235 – 238
Itoh, J., see **S. Hasegawa** 127 – 130

Jakob, S., see **G. Stangl** 289 – 293
Jonckheere, R., see **W. De Raedt** 341 – 344
Jones, G.A.C., see **D.A. Wharam** 369 – 372
Juffermans, C.A.H., see **U. Mackens** 89 – 92

Kallmeyer, M., see **H. Bohlen** 191 – 193
Kaneko, K., see **Y. Yasuoka** 543 – 546
Kassing, R., see **P. Thoren** 621 – 624
Katcoff, D., see **J.P. Silverman** 101 – 104
Kato, T., see **K. Nishioka** 481 – 484
Katz, B., see **J.S. Greeneich** 53 – 58
Kawata, H., J.M. Carter, A. Yen and **H.I. Smith,** Optical projection lithography using lenses with numerical apertures greater than unity 31 – 36
Keishi, T., see **H. Shimano** 105 – 108
Kern, D.P., see **S.A. Rishton** 183 – 186
Kern, D.P., see **Y. Vladimirsky** 87 – 88
Ketterson, A.A., see **I. Adesida** 345 – 348
Keyser, J., see **H. Bohlen** 191 – 193

Khallaayoune, J., see **H. Martin** 441 – 444
Khokle, W.S., see **M. Singh** 625 – 628
Khursheed, A., see **A.R. Dinnis** 445 – 448
Kim, P.H., see **T. Shiokawa** 277 – 279
Kitada, H., see **H. Arimoto** 321 – 324
Kitamura, O., see **M. Komuro** 285 – 288
Klein, U. and **F. Götz**, Definition of geometries with complicated, curved boundaries for electron beam pattern generation 495 – 497
Kluwe, A., S. Rauthenberg, F. Fandrich, R. Ludwig and **K.-H. Müller**, Resolution limits of optical methods for the defect inspection of lithography masks 425 – 428
Knapek, E., see **B. Lischke** 199 – 203
Kniepkamp, H., see **B. Lischke** 199 – 203
Koch, R., see **A.N. Broers** 187 – 190
Kohl, M., see **P. Grambow** 357 – 360
Kohlmann, K., see **S. Pongratz** 117 – 120
Kohn, E., see **K.R. Hofmann** 381 – 384
Kolarik, V., see **J. Fiser** 433 – 435
Kolodzey, J., see **I. Adesida** 345 – 348
Komuro, M., O. Kitamura and **S. Okayama**, Ion beam fabrication using piezo-actuator and liquid metal source 285 – 288
Koop, N., see **H. Ulrich** 69 – 72
Koops, H.W.P., Capacity of electron beam reducing image projection systems with dynamically compensated field aberrations 217 – 220
Koops, H.W.P., Y. Vladimirsky, M. Rüb and **R. Erb**, A self comparison method to measure distortions of fine gratings and to characterize electron beam systems 449 – 452
Koops, H.W.P., see **M. Rüb** 251 – 254
Kosugi, M., see **H. Arimoto** 321 – 324
Kratschmer, E., see **S.A. Rishton** 183 – 186
Kräuter, W.A. and **H.M. Noll**, Electron beam exposure of diazoquinone based resists 579 – 583
Krings, A.-M., see **K. Eden** 37 – 40
Krings, A.-M., see **K. Eden** 65 – 68
Krishnamurthy, S., see **A. Sher** 377 – 380
Krivospitsky, A.D., see **Yu.P. Baryshev** 385 – 388
Kücher, P., see **P. Thoren** 621 – 624
Kudou, J., see **M. Yamada** 135 – 138
Kudryashov, V.A., see **V.V. Aristov** 231 – 233
Kulcke, W., see **H. Bohlen** 191 – 193
Kulkarni, V.D., see **N.C. Sharma** 599 – 602
Kundu, N.N., K.I. Arshak, B.P. Mathur and **S.N. Gupta**, Resist exposure optimization using figure of merit of resist profile 595 – 598
Kung, E.H., see **S. Vaidya** 213 – 216
Küper, S. and **M. Stuke**, Ablation of UV-transparent materials with femtosecond UV excimer laser pulses 475 – 480
Kusumi, Y., see **Y. Takagaki** 353 – 356
Kwietniak, K., see **D. Seeger** 97 – 100

Lamberti, A.C., see **E. Bassous** 167 – 170
Laskar, J., see **I. Adesida** 345 – 348
Lauer, V. and **P. Balk**, Process induced radiation damage in MOS structures 611 – 614
Launois, H., see **D. Mailly** 349 – 351
Lee, H., see **K.R. Hofmann** 381 – 384
Leeuwen, D.A. van, R.J.M. van Vucht, J. Romijn and **E. van der Drift**, Tungstēn calibration markers for electron beam pattern generators 247 – 250
Leier, H., A. Forchel, B.E. Maile and **G. Weimann**, Fabrication and optical properties of GaAs-quantum wires produced by ion-implantation induced disordering 361 – 364
Lepore, A., see **K.R. Hofmann** 381 – 384
Leuschner, R., R. Sezi, M. Sebald, G. Czech and **D. Stephani**, Optical lithography and O_2/RIE pattern transfer characteristics of the silicon-containing positive resist (SPR) 547 – 550
Levi-Setti, R., J.M. Chabala, Ph. Hallegot and **Y.-L. Wang**, Chemical characterization of electronic microstructures with sub-100 nm lateral resolution 391 – 399
Levy, M., see **K.R. Hofmann** 381 – 384
Li, S.C., see **T.T. Tang** 415 – 418
Lifka, H., see **U. Mackens** 89 – 92
Lin, P.S.D., see **A.S. Gozdz** 529 – 532
Linde, H., see **E. Babich** 537 – 542
Lingnau, J., see **F. Bijkerk** 121 – 125
Lingnau, J., see **J. Chlebek** 629 – 633
Lingnau, J., see **R. Dammel** 575 – 578
Lingnau, J., see **A. Menschig** 571 – 574
Lischke, B., G. Christaller, K.H. Herrmann, A. Heuberger, E. Knapek, H. Kniepkamp, H. Rose, W. Rüttenauer and **G. Siegel**, An e-beam comb-probe printer for nanolithography 199 – 203
Lischke, B., see **M. Brunner** 405 – 410
Lischke, B., see **U. Schnakenberg** 205 – 208
Lischke, B., see **D. Winkler** 453 – 456
Löchel, B., J. Trube, W. Windbracke and **H. Huber**, Application of pulse plating to form lead absorber patterns for X-ray masks 163 – 166
Löschner, H., see **G. Stangl** 289 – 293
Lucchesini, A., see **M. Gentili** 147 – 150
Lucek, J.K., see **D.G. Hasko** 337 – 340
Ludwig, R., see **A. Kluwe** 425 – 428
Lugli, P., see **M. Gentili** 147 – 150
Lukichev, V.F., see **Yu.P. Baryshev** 385 – 388
Lüthje, H., see **U. Mackens** 89 – 92

Macaulay, J.M., R.M. Allen, L.M. Brown and **S.D. Berger**, Nanofabrication using inorganic resists 557 – 560
Mackens, U., U. Mescheder, F. Mund, H. Lüthje, H. Lifka, C.A.H. Juffermans, P.H. Woerlee and **A.J. Walker**, Fabrication of 0.5 μm NMOS-devices by all level X-ray lithography 89 – 92
Maile, B.E., see **H. Leier** 361 – 364

Mailly, D., M. Elkhatib, A. Benoit and **H. Launois,** Experimental setup for the measurement of persistent current in a GaAs/GaAlAs single loop 349 – 351
Maldonado, J., see **R. Viswanathan** 93 – 96
Malkusch, W. and **S. Moll,** The accuracy of critical dimension measurements in scanning electron microscopes 437 – 440
Martin, B. and **A.N. Odell,** Wide latitude thermally induced image reversal lithography for high resolution metallisation 567 – 570
Martin, H., D. Burlet, J.-L. Bataillon and **J. Khallaayoune,** Optimization of the metrological SEM settings 441 – 444
Mathur, B.P., see **N.N. Kundu** 595 – 598
Mauer, IV, J.L., see **R.A. DellaGuardia** 139 – 142
Maul, M., see **K. Eden** 65 – 68
May, P., see **G. Chiu** 21 – 24
Meissner, K., see **H. Bohlen** 191 – 193
Menschig, A., A. Forchel, R. Dammel, L. Lingnau, U. Scheunemann, J. Theis and **S. Pongratz,** High sensitivity positive tone X-ray resist: RAY-PF-performance under e-beam exposure 571 – 574
Mescheder, U., see **U. Mackens** 89 – 92
Mescheder, U., see **S. Pongratz** 117 – 120
Messina, G., see **M. Gentili** 147 – 150
Meyer-Ilse, W., see **Y. Vladimirsky** 87 – 88
Middelhoek, J., see **J.R. Gao** 373 – 376
Miyauchi, E., see **H. Arimoto** 321 – 324
Moisan, M., see **G. Sauvé** 471 – 474
Moll, S., see **W. Malkusch** 437 – 440
Moonen, J.A.H.M., see **M.E. Reuhman-Huisken** 551 – 556
Moriya, K., see **H. Ohki** 235 – 238
Mortimer, S.H., see **A.G. Brown** 225 – 229
Moslehi, G.B., see **E.D. Castel** 615 – 619
Müller, J., see **K. Eden** 65 – 68
Müller, K.-H., see **K. Brehm** 143 – 146
Müller, K.-H., see **F.E. Endruschat** 401 – 404
Müller, K.-H., see **A. Kluwe** 425 – 428
Müller, K.P., see **U. Schnakenberg** 205 – 208
Müller, K.P., see **G. Stangl** 289 – 293
Mund, F., see **U. Mackens** 89 – 92
Murase, K., see **Y. Takagaki** 353 – 356
Muray, J.J., Characteristics and applications of multiple beam machines 305 – 309
Mutsaers, C.M.J., see **M.E. Reuhman-Huisken** 551 – 556

Nagaswami, V.R., In-plane distortion in silicon wafers induced by a sub-micron CMOS process 457 – 461
Nakaishi, M., see **M. Yamada** 135 – 138
Nakamura, S., see **H. Shimano** 105 – 108
Nalamasu, O., see **G.N. Taylor** 513 – 520
Namba, H., see **J. Orloff** 281 – 283
Namba, S., see **T. Shiokawa** 277 – 279
Namba, S., see **Y. Takagaki** 353 – 356

Namba, S., see **Y. Yasuoka** 543 – 546
Namizaki, H., see **J. Orloff** 281 – 283
Neureuther, A.R., see **B. Huynh** 79 – 82
Newman, T., see **P.J. Coane** 195 – 197
Ng, K.K., see **S. Vaidya** 213 – 216
Nishioka, K., N. Fujiwara, M. Yoneda and **T. Kato,** Effects of plasma parameters on etching characteristics with ECR plasma 481 – 484
Noll, H.M., see **W.A. Kräuter** 579 – 583

Odell, A.N., see **B. Martin** 567 – 570
Oertel, H., see **J. Chlebek** 629 – 633
Oertel, H., see **R. Dammel** 575 – 578
Ohki, H., T. Asari, H. Takemura, M. Isobe and **K. Moriya,** Fabrication of grating patterns by e-beam lithography 235 – 238
Ohki, S., see **K. Deguchi** 113 – 116
Okayama, S., see **M. Komuro** 285 – 288
Okazaki, S., Comparison of optical, X-ray, electron and ion beam lithography 297 – 304
Omura, E., see **J. Orloff** 281 – 283
Orlikovsky, A.A., see **Yu.P. Baryshev** 385 – 388
Orloff, J., R.K. DeFreez, J. Puretz, R.A. Elliott, H. Hamba, E. Omura and **H. Namizaki,** The effect of micromachining with focused ion beams on the life and power output of AlGaAs TJS lasers 281 – 283

Paniez, P., A. Schiltz, M.J. Bouzid and **E. Dechenaux,** Thermal flow properties of novolak polymers 585 – 589
Paoletti, A., see **M. Gentili** 147 – 150
Paraszczak, J., see **E. Babich** 537 – 542
Paraszczak, J., see **G. Sauvé** 471 – 474
Paschke, F., see **G. Stangl** 289 – 293
Peacock, D.C., see **D.A. Wharam** 369 – 372
Pelka, J., H.-C. Scheer, P. Hoffmann, W. Hoppe and **Ch. Huth,** The problem of scattering in RIBE 503 – 506
Pennings, E.C.M., see **E. van der Drift** 499 – 502
Pepper, M., see **D.A. Wharam** 369 – 372
Petrocco, G., see **M. Gentili** 147 – 150
Petzold, H.-C., see **R. Putzar** 175 – 178
Pfeiffer, H.C., Progress and challenges in electron beam lithography 181
Pilz, W., H. Hübner, F. Heinrich, P. Hoffmann and **M. Franosch,** Discussion in profile phenomena in sub-μm resist reactive ion etching 491 – 494
Piper, E., see **J. Hersener** 155 – 158
Piper, E., see **K.M. Strohm** 131 – 134
Ploog, K., see **P. Grambow** 357 – 360
Pomerene, A., see **D. Flagello** 47 – 52
Pommereau, F., M. Iost, F. Vollenbroek and **S. Gourrier,** Resist profile control of image reversal process in contact lithography 591 – 594
Pongratz, S., U. Mescheder, Ch. Ehrlich, H.-L. Huber, K. Kohlmann and **W. Windbracke,** State of the art of pattern placement accuracy of silicon X-ray master masks 117 – 120

Pongratz, S., see **A. Menschig** 571 – 574
Pum, D., see **U.B. Sleytr** 13 – 20
Puretz, J., see **J. Orloff** 281 – 283
Putzar, R., H.-C. Petzold, H. Schaffer and **U. Weigmann,** Laser induced photolytic tin deposition with high deposition rates for the repair of clear X-ray mask defects 175 – 178

Radelaar, S., see **J.R. Gao** 373 – 376
Raja, N.K.L., see **M. Singh** 625 – 628
Rajopadhye, N.R., see **M. Singh** 625 – 628
Rangelow, I.W., see **P. Thoren** 621 – 624
Rauthenberg, S., see **A. Kluwe** 425 – 428
Rensch, C., see **H. Ulrich** 69 – 72
Reuhman-Huisken, M.E., C.M.J. Mutsaers, F.A. Vollenbroek and **J.A.H.M. Moonen,** Towards an optimized image reversal process for half micron lithography 551 – 556
Ricard, A., see **G. Sauvé** 471 – 474
Rippstein, R., see **J.P. Silverman** 101 – 104
Rishton, S.A., D.P. Kern, E. Kratschmer and **T.H.P. Chang,** Electron beam lithography of sub-0.1 μm circuits 183 – 186
Rishton, S.A., see **E. Babich** 537 – 542
Rishton, S.A., see **Y. Vladimirsky** 87 – 88
Ritchie, D.A., see **D.A. Wharam** 369 – 372
Rix, N.F., see **B.J. Hughes** 243 – 246
Rohrmoser, W., see **H. Huber** 151 – 154
Romijn, J., see **E. van der Drift** 499 – 502
Romijn, J., see **D.A. van Leeuwen** 247 – 250
Rose, H., see **B. Lischke** 199 – 203
Rose, H., see **G. Schönecker** 259 – 262
Roth, W., see **K. Eden** 37 – 40
Rothschild, M., see **D.J. Ehrlich** 27 – 29
Rousseeuw, B.A.C., see **E. van der Drift** 499 – 502
Rozsenich, N., Opening Address 1
Rüb, M., H.W.P. Koops and **Th. Tschudi,** Electron beam induced deposition in a reducing image projector 251 – 254
Rüb, M., see **H.W.P. Koops** 449 – 452
Rudeck, P.J., see **P.J. Coane** 195 – 197
Rüttenauer, W., see **B. Lischke** 199 – 203

Santangelo, S., see **M. Gentili** 147 – 150
Sara, M., see **U.B. Sleytr** 13 – 20
Sasso, G., see **P. Buchmann** 485 – 489
Sauvé, G., M. Moisan, J. Paraszczak, Y. Arnal, J. Heindenreich and **A. Ricard,** Using surface wave produced plasmas to determine the frequency effect upon etching of polyimide in RF and microwave sustained plasmas 471 – 474
Schäfer, H., see **P. Schäffer** 209 – 212
Schaffer, H., see **R. Putzar** 175 – 178

Schäffer, P., H. Schäfer, R. Heydel, K.-H. Herrmann, J. Droemer and **V. Drexel,** Electron optical design of an e-beam comb probe printer 209 – 212
Scheer, H.-C., see **J. Pelka** 503 – 506
Schellekens, J.P.W., SUPER: A submicron positive dry etch resist; a candidate for DUV-lithography 561 – 566
Schenk, A., see **J. Fiser** 433 – 435
Scheunemann, U., see **H. Huber** 151 – 154
Scheunemann, U., see **A. Menschig** 571 – 574
Schickfuss, M. v., see **H. Ulrich** 69 – 72
Schiltz, A., see **P. Paniez** 585 – 589
Schmitt, R., see **M. Brunner** 405 – 410
Schmitt, R., see **D. Winkler** 453 – 456
Schnakenberg, U., W. Benecke, V. Wallendszus, K.P. Müller, A. Heuberger and **B. Lischke,** Multi electron beam lithography: Fabrication of a control unit 205 – 208
Schönecker, G., R. Spehr and **H. Rose,** Design of an electron line cathode 259 – 262
Schüle, R., see **P. Grambow** 357 – 360
Sebald, M., see **R. Leuschner** 547 – 550
Seeger, D., K. Kwietniak, D. Crockatt, A. Wilson and **J. Warlaumont,** Fully scaled 0.5 μm MOS circuits by synchrotron X-ray lithography: Resist systems and line width control 97 – 100
Seeger, D., see **R. Viswanathan** 93 – 96
Seeger, D.E., see **R.A. DellaGuardia** 139 – 142
Seitou, S., see **H. Todokoro** 411 – 414
Selberherr, S., Process modeling 605 – 610
Sezi, R., see **R. Leuschner** 547 – 550
Shamma, N., see **E.D. Castel** 73 – 77
Sharma, N.C. and **V.D. Kulkarni,** Contrast enhancement lithography for patterning of metal pillar interconnections 599 – 602
Sher, A., S. Krishnamurthy and **A.-B. Chen,** Transport in submicron devices 377 – 380
Shimano, H., T. Keishi, S. Nakamura and **T. Tomimasu,** Application of electron beam wobbling to SR X-ray lithography 105 – 108
Shinada, H., see **H. Todokoro** 411 – 414
Shiokawa, T., P.H. Kim, M. Hamagaki, T. Hara, Y. Aoyagi, K. Toyoda and **S. Namba,** Microstructures of GaAs fabricated by finely focused ion beam lithography 277 – 279
Siegel, G., see **B. Lischke** 199 – 203
Silverman, J.P., V. Dimilia, D. Katcoff, L.K. Wang, J.M. Warlaumont, A.D. Wilson, R. Devenuto, B. Hill, L.C. Hsia and **R. Rippstein,** Fully scaled 0.5 μm MOS circuits by synchrotron radiation X-ray lithography: Device fabrication and overlay evaluation 101 – 104
Singh, M., N.R. Rajopadhye, N.K.L. Raja and **W.S. Khokle,** EBIC probing – A possible tool for the verification of simulated electron beam exposure widths 625 – 628
Sischka, D. and **R. Bisek,** Methods for mask defect detection using local criteria 463 – 466

Sleytr, U.B., M. Sara and **D. Pum,** Application potentials of two-dimensional protein crystals 13 – 20
Smith, C.G., see **D.G. Hasko** 337 – 340
Smith, H.I., see **H. Kawata** 31 – 36
Spehr, R., Eddy currents in a wafer moving in the magnetic field of an electron lens 263 – 266
Spehr, R., Demonstration of the influence of the energy width on probe broadening by computer simulation 635 – 638
Spehr, R., see **G. Schönecker** 259 – 262
Stangl, G., E. Cekan, S. Jakob, W. Fallmann, F. Paschke, L.M. Buchmann, K.P. Müller, L. Csepregi, A. Heuberger, E. Hammel, C. Traher, H. Löschner and **G. Stengl,** Resist materials for sub-0.5 μm pattern transfer with demagnifying ion projection lithography (IPL) 289 – 293
Staudt, P., see **W. Windbracke** 109 – 112
Stengl, G., see **G. Stangl** 289 – 293
Stephani, D., Microfabrication of magnetic thin-film heads 469 – 470
Stephani, D., see **R. Leuschner** 547 – 550
Stillwagon, L.E., see **G.N. Taylor** 513 – 520
Strohm, K.M., J. Hersener and **E. Piper,** X-ray lithography for monolithic millimeter wave integrated circuits 131 – 134
Stuke, M., see **S. Küper** 475 – 480
Sugito, S., S. Ishida and **Y. Iida,** Submicron pattern transfer with newly designed siloxane e-beam resist and Bias-ECR etcher 533 – 536

Takagaki, Y., F. Wakaya, Y. Kusumi, S. Takaoka, Y. Yuba, K. Gamo, K. Murase and **S. Namba,** Fabrication of narrow channels in GaAs–AlGaAs heterostructures and the lateral quantization effect 353 – 356
Takaoka, S., see **Y. Takagaki** 353 – 356
Takemura, H., see **H. Ohki** 235 – 238
Talor, G. and **A. Gutmann,** Wide latitude image reversal process for 4M and 16M DRAMs 41 – 46
Tang, T.T., S.C. Li and **H. Wang,** A new objective lens with in-lens spectrometer and SE collector for e-beam testing 415 – 418
Tang, T.T., C. Yan and **H. Wang,** Study of a low voltage electrostatic electron beam probe system 429 – 432
Taylor, G.N., O. Nalamasu and **L.E. Stillwagon,** Materials and processes for imaging at the resolution limits of optical lithography 513 – 528
Teijido, J.M., H. Buczek and **D. Wuthrich,** Manufacturing computer-generated holograms (CGH) by electron beam 255 – 257
Theis, J., see **J. Chlebek** 629 – 633
Theis, J., see **R. Dammel** 575 – 578
Theis, J., see **A. Menschig** 571 – 574
Thoren, P., I.W. Rangelow, R. Kassing and **P. Kücher,** Three-dimensional simulation of sputter deposition processes for sub-μm technologies 621 – 624
Till, S.J., see **A.G. Brown** 225 – 229
Tilmans, H.A.C., see **H. Guckel** 159 – 161
Timbs, A.E., see **A.N. Broers** 187 – 190
Todokoro, H., S. Fukuhara, S. Seitou, H. Shinada and **N. Yamaguchi,** Electron beam tester for logic LSIs 411 – 414

Tomimasu, T., see **H. Shimano** 105 – 108
Toyoda, K., see **T. Shiokawa** 277 – 279
Traher, C., see **G. Stangl** 289 – 293
Trube, J., see **R. Dammel** 575 – 578
Trube, J., see **B. Löchel** 163 – 166
Tschudi, Th., see **M. Rüb** 251 – 254
Tucciarone, A., see **M. Gentili** 147 – 150

Ulrich, H., R.W. Wijnaendts-van-Resandt, N. Koop, M. v. Schickfuss, C. Rensch and **W. Ehrensperger,** Quality of microstructures produced by laser lithography and system performance 69 – 72

Vaidya, S., D.K. Atwood, E.H. Kung and **K.K. Ng,** A comparison of 20 kV and 50 kV e-beam lithography for MOS circuit fabrication 213 – 216
Valiev, K.A., see **Yu.P. Baryshev** 385 – 388
Van den hove, L., see **W. De Raedt** 341 – 344
Van Hove, M., see **W. De Raedt** 341 – 344
Van Rossum, M., see **W. De Raedt** 341 – 344
Verbruggen, A.H., see **J.R. Gao** 373 – 376
Verdonck, P., G. Brasseur and **F. Coopmans,** Laser enhanced polymer etching in different ambients 507 – 510
Verheijen, M.J. and **L.A. Fontijn,** Surface metrology of 150 mm substrates with nanometer accuracy with the Philips beamwriter 419 – 423
Vettiger, P., see **P. Buchmann** 485 – 489
Viswanathan, R., R. Acosta, D. Seeger, H. Voelker, A.D. Wilson, I. Babich, J. Maldonado, J. Warlaumont, O. Vladirmirsky, F. Hohn, D. Crockatt and **R. Fair,** Fully scaled 0.5 μm MOS circuits by synchrotron radiation X-ray lithography: Mask fabrication and characterization 93 – 96
Vladimirsky, Y., D.P. Kern, W. Meyer-Ilse, B. Greinke, P. Guttmann, S.A. Rishton and **D. Attwood,** Soft X-ray lenses with 400 Å outer zone width for nanostructure imaging 87 – 88
Vladimirsky, Y., see **H.W.P. Koops** 449 – 452
Vladirmirsky, O., see **R. Viswanathan** 93 – 96
Voelker, H., see **R. Viswanathan** 93 – 96
Vollenbroek, F.A., see **F. Pommereau** 591 – 594
Vollenbroek, F.A., see **M.E. Reuhman-Huisken** 551 – 556
Vucht, R.J.M. van, see **D.A. van Leeuwen** 247 – 250

Wagemann, E.-H., see **K. Brehm** 143 – 146
Wakaya, F., see **Y. Takagaki** 353 – 356
Walker, A.J., see **U. Mackens** 89 – 92
Wallendszus, V., see **U. Schnakenberg** 205 – 208
Wang, H., see **T.T. Tang** 415 – 418
Wang, H., see **T.T. Tang** 429 – 432
Wang, L.K., see **J.P. Silverman** 101 – 104
Wang, Y.-L., see **R. Levi-Setti** 391 – 399
Warlaumont, J., see **D. Seeger** 97 – 100
Warlaumont, J.M., see **J.P. Silverman** 101 – 104
Warlaumont, J., see **R. Viswanathan** 93 – 96

Weigmann, U., see **R. Putzar** 175 – 178
Weimann, G., see **H. Leier** 361 – 364
Weiss, M., see **J. Chlebek** 629 – 633
Werner, K., see **K. Brehm** 143 – 146
Wharam, D.A., D.G. Hasko, M. Pepper, H. Ahmed, J.E.F. Frost, D.C. Peacock, D.A. Ritchie and **G.A.C. Jones,** Physics and fabrication of one-dimensional sub-micron semiconducting channels 369 – 372
Wiel, M.J. van der, see **F. Bijkerk** 121 – 125
Wijnaendts-van-Resandt, R.W., see **H. Ulrich** 69 – 72
Wilhelm, A., see **J. Hersener** 155 – 158
Willis, H., see **A.G. Brown** 225 – 229
Wilson, A.D., see **P.J. Coane** 195 – 197
Wilson, A.D., see **D. Seeger** 97 – 100
Wilson, A.D., see **J.P. Silverman** 101 – 104
Wilson, A.D., see **R. Viswanathan** 93 – 96
Windbracke, W., H.L. Huber, P. Staudt and **G. Zwicker,** Fabrication of sub-half μm patterns for MOS devices by means of X-ray lithography and plasma etching 109 – 112
Windbracke, W., see **B. Löchel** 163 – 166
Windbracke, W., see **S. Pongratz** 117 – 120
Winkler, D., R. Schmitt, M. Brunner and **B. Lischke,** The influence of the transit-time effect on propagation delay measurements by electron and photon beam techniques 453 – 456
Winkler, D., see **M. Brunner** 405 – 410
Wittekoek, S., see **J.S. Greeneich** 53 – 58
Woerlee, P.H., see **U. Mackens** 89 – 92
Wolf, E.D., Nanofabrication: Opportunities for interdisciplinary research 5 – 11
Wolfstädter, B., Electron beam fabrication of 0.2 μm lines, suitable for GaAs MMIC processing 221 – 224
Wuthrich, D., see **J.M. Teijido** 255 – 257

Yamada, M., M. Nakaishi, J. Kudou, T. Eshita and **Y. Furumura,** An X-ray mask using Ta and heteroepitaxially grown SiC 135 – 138
Yamaguchi, N., see **H. Todokoro** 411 – 414
Yan, C., see **T.T. Tang** 429 – 432
Yasuoka, Y., K. Kaneko, K. Gamo and **S. Namba,** Self-development of nitrocellulose and its mechanism 543 – 546
Yen, A., see **H. Kawata** 31 – 36
Yoneda, M., see **K. Nishioka** 481 – 484
Yuba, Y., see **Y. Takagaki** 353 – 356

Zapka, W., see **H. Bohlen** 191 – 193
Zlotnicka, A., see **K.R. Hofmann** 381 – 384
Zwicker, G., see **W. Windbracke** 109 – 112